

Item Code: 8034-SA4M

- Metal Lampshade
- Lens Size: 5" (127mm)
- Magnification: 3D (1.75X), 5D (2.25X), 8D (3X) available
- Light Source: T9 22 watt fluorescent energy-saving tube
- Power Supply: 110-127V, 220-240V, 100V optional
- Power Cord: standard length 5' (1.5m) or customized length
- Adjustable spring-balanced swing arm with a 46 inch maximum extension (116.8cm)
- G-shape clamp secures to any flat surface from 0.4 to 2.7 inch thick (1.02 to 6.86 cm)



PACKAGE

colorful box / white box .

inside box size : 26.8X17.2X61.3CM

outside packing carton size & W/G : 63.5X55.5X53.5CM, 6PCS/CTN, 20/22KGS

CERTIFICATIONS

CE,ROHS, EMC,UL

8032-SA4M clamp type magnifying lamps

- Item Code: 8032-SA4M

- Product Name: 22w magnifier lamp with SA4 arm
- Lens Size: 5" (127mm)
- Lens Type: standard lens, optical lens optional
- Magnification: 2D(1.5X), 3D (1.75X), 4D(2X), 5D (2.25X), 6D(2.5X), 7D(2.75X), 8D (3X) available
- Light Source: T9 22 watt fluorescent energy-saving tube
- Power Supply: 110-127V, 220-240V, 100V optional
- Power Cord: standard length 5' (1.5m) or customized length
- Power Cord Plug: Europlug, American plug, Brazil plug, etc
- High quality magnetic ballast with 36 month warranty
- Flexible neck for positioning the lamp head at the proper viewing angle
- Adjustable spring-balanced swing arm with a 46 inch maximum extension (116.8cm)
- Strong and top quality external springs produce less noise during the movement of the swing arm
- G-shape clamp secures to any flat surface from 0.4 to 2.7 inch thick (1.02 to 6.86 cm)
- Standard Mount: G01 clamp for horizontal surfaces
- Optional Mount: clamp (G02, G03 or G04), table base, floor stand, wall bracket, etc
- Colors Available: white, black, silver, etc



PACKAGE

colorful box / white box .

inside box size : 26.8X17.2X61.3CM

outside packing carton size & W/G : 63.5X55.5X53.5CM, 6PCS/CTN, 20/22KGS

CERTIFICATIONS

CE,ROHS, EMC,UL

8036-SA3 clamp type magnifier lamp with SA3 arm

SPECIFICATIONS

Item Code: 8036-SA3

- Product Name: 22w magnifier lamp with SA3 arm
- Lens Size: 5" (127mm)
- Lens Type: standard lens, optical lens optional
- Magnification: 2D(1.5X), 3D (1.75X), 4D(2X), 5D (2.25X), 6D(2.5X), 7D(2.75X), 8D (3X) available
- Light Source: T9 22 watt fluorescent energy-saving tube
- Power Supply: 110-127V, 220-240V, 100V optional
- Power Cord: standard length 5' (1.5m) or customized length
- Power Cord Plug: Europlug, American plug, Brazil plug, etc
- Flexible neck for positioning the lamp head at the proper viewing angle
- Adjustable spring-balanced swing arm with a 42 inch maximum extension (106.7cm)
- Strong and top quality internal springs produce less noise during the movement of the swing arm
- G-shape clamp secures to any flat surface from 0.4 to 2.7 inch thick (1.02 to 6.86 cm)



PACKAGE

colorful box / white box .

inside box size : 25X14.8X51.2CM

outside packing carton size & W/G : 53X51.5X46CM 6PCS/CTN 20/22KGS

FEATURES

Rectangular 28W magnifier lamp 8026-SA2 features a 3 diopter (1.75X) rectangular lens with a 13" focal length and a 7.5" x 6.2" (190.5mm x 157.5mm) distortion-free viewing area. T5 28 watt compact fluorescent energy-saving tube offers better luminance rather than the two 13 watt bulbs of the traditional model. New style SA2 swing arm with plastic cover protects the fingers from pinching by the arm



SPECIFICATIONS

- Item Code: 8026-SA2

- Product Name: rectangular 28w magnifier lamp with SA2 swing arm
- Lens Size: 7.5" x 6.2" (190.5mm x 157.5mm)
- Lens Type: standard lens, optical lens optional
- Magnification: 2 diopter (1.5X), 3 diopter (1.75X) available
- Light Source: T5 28 watt rectangular tri-phosphor fluorescent energy-saving tube
- Power Supply: 110-127V, 220-240V, 100V optional
- Power Cord: standard length 5' (1.5m) or customized length
- Power Cord Plug: Europlug, American plug, Brazil plug, etc
- High quality electronic ballast with 36 month warranty
- Anti-dust cover reduces the risk of fire probably caused by the lens exposed to direct sunshine
- Flexible neck for positioning the lamp head at the proper viewing angle
- Adjustable spring-balanced swing arm with a 42 inch maximum extension (106.7cm)
- Strong and top quality internal springs produce less noise during the movement of the swing arm
- G-shape clamp secures to any flat surface from 0.4 to 2.7 inch thick (1.02 to 6.86 cm)
- Standard Mount: G01 clamp for horizontal surfaces
- Optional Mount: clamp (G02, G03 or G04), table base, floor stand, wall bracket, etc
- Colors Available: white, black, silver, etc

- Electrostatic discharge (ESD) safety available by request

Package

colorful box / white box .

inside box size : 34.5X13.2X48CM

outside packing carton size & W/G : 71X50X41.5CM 6PCS/CTN 20/24KGS

CERTIFICATIONS CE,ROHS, EMC,UL